



Large storage tray*

for accessories and machines

2 polyester filter cassettes*

high efficiency,
durable,
easy to clean

Water recognition*

with sensor disconnection

Hose connection*

with bayonet
and twist balancing

Rollers and wheels

easy to transport,
brake



** not present on all models*

• Pulse filter cleaning*

electromagnetic, automatic or manual
DSS 35 M iP – permanent during the
vacuuming process

• Electronic

soft start, deferred rundown switching

• High-performance motor

long lifetime

• Suction hose*

hose ends are interchangeable – easy
hose extension, dust free transport

• Power socket

with automatic switch-on for attached
machines

• Plastic box

impact-resistant, double-walled,
smooth walls for easy cleaning

• Supplied

incl. accessories for cleaning the
bottom

FEATURES OF INDUSTRIAL VACUUM CLEANER

Our entire vacuum cleaner range has powerful suction, even with continuous use. They are designed for use with all our dust free machines. They are especially suitable for sucking up large amounts of dust, drilling waste, fine mortar and plaster dust.

Industrial vacuum cleaner DSS 25 A and DSS 50 A

The compact wet and dry cleaners

USE:

- Vacuuming of sludges (wet)
- Cleaning of cars, living and business rooms

FEATURES:

- Automatic filter cleaning (electromagnetic pulse)
 - cleaning of the filter, working without, complete dedusting of the cartridges
- Electronic – soft start with deferred rundown switching
- Flow rate indicator – optical monitoring of the suction performance
- Consistently high flow rate – increases filter life, reduction of time and costs
- Water recognition with sensor disconnection
- 2 polyester filter cassettes – high efficiency, durable, easy to clean
- Filter surface 8600 cm² – high constant suction performance
- Compact design – smaller height, same volume
- Special-plastic tank – low centre of gravity, easy cleaning of walls
- Large storage tray for accessories and machines
- Hose connection with bayonet and twist balancing
- Hose ends are interchangeable – easy hose extension, dust free transport



25 l



50 l



















SPECIFICATIONS	DSS 25 A	DSS 50 A
Max. power input	1400 W	1400 W
Rated voltage	230 V ~	230 V ~
Tank volume (max.)	25 l	50 l
Dust volume (net)	20 l	45 l
Max. air flow	61 l/s	61 l/s
Max. vacuum	248 mbar	248 mbar
Dimensions L × B × H (mm)	457 × 400 × 535	580 × 470 × 640
Weight	12.7 kg	17.7 kg
Order no.	09915000	09916000

Supplied: in a box incl. 5 m suction hose (Ø 35 mm), universal-adapter, nozzle for floor and crevices, handle tube with air switch, 2 suction tubes (plastic), velcro strip, holder for accessories





Vacuumping ACCESSORIES

			SS 1401 L	DSS 25	DSS 50	DSS 35	
	1	Accessory-kit stainless steel 2 stainless steel suction tubes, handle tube with air switch, floor nozzle, padding nozzle, crevices nozzle, nozzle body with water insert	-	x	x	x	35315000
	2	Fleece filter bag (5 pieces)	x	-	-	-	35323000
			-	x	-	x	35321000
			-	-	x	-	35326000
	3	Disposal bag (5 pieces) for M-cleaners	-	x	x	x	35320000
			x	-	-	-	35324000
	4	Filter cassettes polyester, 2 parts	-	x	x	x	35301000
	5	Folded filter	x	-	-	-	35322000
	6	Nozzle body with water insert	x	x	x	x	35314000
	7	Suction tubes (plastic), 2 parts	-	x	x	x	35207000
	8	Handle tube with air switch	-	x	x	x	35308000
	9	Water nozzle	x	x	x	x	35311000
	10	Rubber nozzle, cone-shaped	x	x	x	x	35205000
	11	Floor nozzle (switchable)	x	x	x	x	35304000
	12	Coarse dirt floor nozzle	x	x	x	x	35327000
	13	Crevices nozzle	x	x	x	x	35203000
	14	Rubber sleeve, stepped Ø 25,5-26,5 mm/Ø 30,5-32,5 mm/Ø 36-38 mm	x	x	x	x	35316000
	15	Hose connection, vacuum cleaner sided (bayonet)	-	x	x	x	35313000
	16	Hose connection, machine sided	-	x	x	x	35313500
	17	Suction hose Ø 35 mm 5.00 m	-	x	x	x	35302000
		3.20 m	-	x	x	x	35307000
	18	Antistatic hose Ø 35 mm 5.00 m	-	x	x	x	35319000